

Table of contents

- **Preface** (p. xiii)
- **1 Low-Power Cmos Vlsi Design** (p. 1)
 - **1.1 Introduction** (p. 1)
 - **1.2 Sources of Power Dissipation** (p. 2)
 - **1.3 Designing for Low Power** (p. 3)
 - **1.4 Conclusions** (p. 5)
 - **References** (p. 6)
- **2 Physics of Power Dissipation in Cmos Fet Devices** (p. 7)
 - **2.1 Introduction** (p. 7)
 - **2.2 Physics of Power Dissipation in MOSFET Devices** (p. 8)
 - **2.2.1 The MIS Structure** (p. 8)
 - **2.2.2 Long-Channel MOSFET** (p. 17)
 - **2.2.3 Submicron MOSFET** (p. 21)
 - **2.2.4 Gate-Induced Drain Leakage** (p. 28)
 - **2.3 Power Dissipation in CMOS** (p. 29)
 - **2.3.1 Short-Circuit Dissipation** (p. 30)
 - **2.3.2 Dynamic Dissipation** (p. 32)
 - **2.3.3 The Load Capacitance** (p. 35)
 - **2.4 Low-Power VLSI Design: Limits** (p. 38)
 - **2.4.1 Principles of Low-Power Design** (p. 39)
 - **2.4.2 Hierarchy of Limits** (p. 39)
 - **2.4.3 Fundamental Limits** (p. 40)
 - **2.4.4 Material Limits** (p. 42)
 - **2.4.5 Device Limits** (p. 43)
 - **2.4.6 Circuit Limits** (p. 45)
 - **2.4.7 System Limits** (p. 47)
 - **2.4.8 Practical Limits** (p. 49)
 - **2.4.9 Quasi-Adiabatic Microelectronics** (p. 49)
 - **2.5 Conclusions** (p. 50)
 - **References** (p. 50)
- **3 Power Estimation** (p. 53)
 - **3.1 Modeling of Signals** (p. 56)
 - **3.2 Signal Probability Calculation** (p. 58)
 - **3.2.1 Signal Probability Using Binary Decision Diagrams** (p. 59)
 - **3.3 Probabilistic Techniques for Signal Activity Estimation** (p. 61)
 - **3.3.1 Switching Activity in Combinational Logic** (p. 61)
 - **3.3.2 Derivation of Activities for Static CMOS from Signal Probabilities** (p. 69)
 - **3.3.3 Switching Activity in Sequential Circuits** (p. 72)
 - **3.3.4 An Approximate Solution Method** (p. 80)
 - **3.4 Statistical Techniques** (p. 82)
 - **3.4.1 Estimating Average Power in Combinatorial Circuits** (p. 83)
 - **3.4.2 Estimating Average Power in Sequential Circuits** (p. 85)
 - **3.5 Estimation of Glitching Power** (p. 92)

- **3.5.1 Monte-Carlo-Based Estimation of Glitching Power** (p. 94)
- **3.5.2 Delay Models** (p. 95)
- **3.6 Sensitivity Analysis** (p. 99)
 - **3.6.1 Power Sensitivity** (p. 100)
 - **3.6.2 Power Sensitivity Estimation** (p. 101)
 - **3.6.3 Power Sensitivity Method to Estimate Minimum and Maximum Average Power** (p. 103)
- **3.7 Power Estimation Using Input Vector Compaction** (p. 108)
- **3.8 Power Dissipation in Domino CMOS** (p. 110)
- **3.9 Circuit Reliability** (p. 113)
- **3.10 Power Estimation at the Circuit Level** (p. 116)
 - **3.10.1 Power Consumption of CMOS Gates** (p. 116)
- **3.11 High-Level Power Estimation** (p. 119)
- **3.12 Information-Theory-Based Approaches** (p. 122)
- **3.13 Estimation of Maximum Power** (p. 125)
 - **3.13.1 Test-Generation-Based Approach** (p. 126)
 - **3.13.2 Approach Using the Steepest Descent** (p. 128)
 - **3.13.3 Genetic-Algorithm-Based Approach** (p. 135)
- **3.14 Summary and Conclusion** (p. 136)
- **References** (p. 136)
- **4 Synthesis for Low Power** (p. 143)
 - **4.1 Behavioral Level Transforms** (p. 144)
 - **4.1.1 Algorithm Level Transforms for Low Power** (p. 144)
 - **4.1.2 Power-Constrained Least-Squares Optimization for Adaptive and Nonadaptive Filters** (p. 155)
 - **4.1.3 Circuit Activity Driven Architectural Transformations** (p. 158)
 - **4.1.4 Architecture-Driven Voltage Scaling** (p. 161)
 - **4.1.5 Power Optimization Using Operation Reduction** (p. 163)
 - **4.1.6 Power Optimization Using Operation Substitution** (p. 164)
 - **4.1.7 Precomputation-Based Optimization for Low Power** (p. 165)
 - **4.2 Logic Level Optimization for Low Power** (p. 169)
 - **4.2.1 FSM and Combinational Logic Synthesis** (p. 170)
 - **4.2.2 Technology Mapping** (p. 183)
 - **4.3 Circuit Level** (p. 185)
 - **4.3.1 Circuit Level Transforms** (p. 186)
 - **4.3.2 CMOS Gates** (p. 187)
 - **4.3.3 Transistor Sizing** (p. 192)
 - **4.4 Summary and Future Directions** (p. 194)
 - **References** (p. 195)
- **5 Design and Test of Low-Voltage Cmos Circuits** (p. 201)
 - **5.1 Introduction** (p. 201)
 - **5.2 Circuit Design Style** (p. 203)
 - **5.2.1 Nonclocked Logic** (p. 203)
 - **5.2.2 Clocked Logic Family** (p. 207)
 - **5.3 Leakage Current in Deep Submicrometer Transistors** (p. 215)
 - **5.3.1 Transistor Leakage Mechanisms** (p. 215)

- **5.3.2 Leakage Current Estimation** (p. 219)
- **5.4 Deep Submicrometer Device Design Issues** (p. 222)
- **5.4.1 Short-Channel Threshold Voltage Roll-Off** (p. 222)
- **5.4.2 Drain-Induced Barrier Lowering** (p. 224)
- **5.5 Key to Minimizing SCE** (p. 224)
- **5.6 Low-Voltage Circuit Design Techniques** (p. 226)
- **5.6.1 Reverse V_{gs}** (p. 226)
- **5.6.2 Steeper Subthreshold Swing** (p. 227)
- **5.6.3 Multiple Threshold Voltage** (p. 228)
- **5.6.4 Multiple Threshold CMOS Based on Path Criticality** (p. 236)
- **5.7 Testing Deep Submicrometer ICs with Elevated Intrinsic Leakage** (p. 240)
- **5.8 Multiple Supply Voltages** (p. 245)
- **5.9 Conclusions** (p. 249)
- **References** (p. 249)
- **6 Low-Power Static Ram Architectures** (p. 253)
- **6.1 Introduction** (p. 253)
- **6.2 Organization of a Static RAM** (p. 254)
- **6.3 MOS Static RAM Memory Cell** (p. 255)
- **6.3.1 The 4T SRAM Cell** (p. 256)
- **6.3.2 The 6T SRAM Cell** (p. 257)
- **6.3.3 SRAM Cell Operation** (p. 258)
- **6.4 Banked Organization of SRAMs** (p. 259)
- **6.4.1 Divided Word Line Architecture** (p. 260)
- **6.5 Reducing Voltage Swings on Bit Lines** (p. 260)
- **6.5.1 Pulsed Word Lines** (p. 261)
- **6.5.2 Self-Timing the RAM Core** (p. 261)
- **6.5.3 Precharge Voltage for Bit Lines** (p. 262)
- **6.6 Reducing Power in the Write Driver Circuits** (p. 263)
- **6.7 Reducing Power in Sense Amplifier Circuits** (p. 265)
- **6.8 Method for Achieving Low Core Voltages from a Single Supply** (p. 268)
- **6.9 Summary** (p. 269)
- **References** (p. 270)
- **7 Low-Energy Computing Using Energy Recovery Techniques** (p. 272)
- **7.1 Energy Dissipation in Transistor Channel Using an RC Model** (p. 273)
- **7.2 Energy Recovery Circuit Design** (p. 277)
- **7.3 Designs with Partially Reversible Logic** (p. 280)
- **7.3.1 Designs with Reversible Logic** (p. 285)
- **7.3.2 Simple Charge Recovery Logic Modified from Static CMOS Circuits** (p. 287)
- **7.3.3 Adiabatic Dynamic Logic** (p. 290)
- **7.3.4 Energy Recovery SRAM Core** (p. 293)
- **7.3.5 Another Core Organization: Column-Activated Memory Core** (p. 296)
- **7.3.6 Energy Dissipation in Memory Core** (p. 298)
- **7.3.7 Comparison of Two Memory Core Organizations** (p. 298)
- **7.3.8 Design of Peripheral Circuits** (p. 300)

- **7.3.9 Optimal Voltage Selection** (p. 304)
- **7.4 Supply Clock Generation** (p. 311)
- **7.5 Summary and Conclusions** (p. 319)
- **References** (p. 320)
- **8 Software Design for Low Power** (p. 321)
- **8.1 Introduction** (p. 321)
- **8.2 Sources of Software Power Dissipation** (p. 322)
- **8.3 Software Power Estimation** (p. 324)
- **8.3.1 Gate Level Power Estimation** (p. 324)
- **8.3.2 Architecture Level Power Estimation** (p. 324)
- **8.3.3 Bus Switching Activity** (p. 325)
- **8.3.4 Instruction Level Power Analysis** (p. 325)
- **8.4 Software Power Optimizations** (p. 329)
- **8.4.1 Algorithm Transformations to Match Computational Resources** (p. 329)
- **8.4.2 Minimizing Memory Access Costs** (p. 332)
- **8.4.3 Instruction Selection and Ordering** (p. 339)
- **8.4.4 Power Management** (p. 341)
- **8.5 Automated Low-Power Code Generation** (p. 342)
- **8.6 Codesign for Low Power** (p. 344)
- **8.6.1 Instruction Set Design** (p. 345)
- **8.6.2 Reconfigurable Computing** (p. 346)
- **8.6.3 Architecture and Circuit Level Decisions** (p. 346)
- **8.7 Summary** (p. 346)
- **References** (p. 348)
- **Index** (p. 351)