

- Chapter 1 Propagation phenomena affecting wireless systems p. 1
- 1.1 Types of systems p. 1
- 1.2 Design criteria p. 3
- 1.3 Antenna considerations p. 7
- 1.3.1 Transmission loss p. 7
- 1.3.2 Antenna beamwidth p. 11
- 1.4 Propagation effects p. 13
- 1.4.1 Path attenuation p. 14
- 1.4.1.1 Atmospheric gases p. 14
- 1.4.1.2 Clouds and fog p. 14
- 1.4.1.3 Rain p. 15
- 1.4.1.4 Water layer p. 16
- 1.4.1.5 Building material p. 17
- 1.4.1.6 Vegetation p. 20
- 1.4.1.7 Obstacles p. 21
- 1.4.2 Refraction p. 23
- 1.4.2.1 Ray tracing p. 24
- 1.4.2.2 Ducting p. 35
- 1.4.2.3 Effective Earth's radius p. 42
- 1.4.2.4 Tropospheric scatter p. 45
- 1.4.2.5 Scintillation p. 52
- 1.4.3 Receiver noise p. 59
- 1.5 Propagation models p. 66
- 1.6 Model verification p. 69
- 1.7 Statistics and risk p. 80
- 1.7.1 Stationarity p. 80
- 1.7.2 Variability model distribution p. 82
- 1.7.2.1 Lognormal model p. 82
- 1.7.2.2 Normal distribution model p. 86
- 1.7.2.3 Gamma distribution model p. 88
- 1.7.2.4 Weibull distribution model p. 89
- 1.7.2.5 Model selection p. 91
- 1.7.3 Risk p. 93
- 1.8 List of symbols p. 95
- References p. 98
- Chapter 2 Propagation fundamentals p. 101
- 2.1 Maxwell's equations p. 101
- 2.2 Plane waves p. 103
- 2.3 Spherical waves p. 107
- 2.4 Reflection and refraction p. 109
- 2.5 Geometrical optics p. 114
- 2.6 Ray tracing p. 120
- 2.7 Scalar diffraction theory p. 123
- 2.8 Geometrical theory of diffraction p. 129
- 2.9 List of symbols p. 133
- References p. 134

- Chapter 3 Absorption p. 135
- 3.1 Molecular absorption p. 135
- 3.1.1 Complex index of refraction p. 135
- 3.1.1.1 Water vapor p. 136
- 3.1.1.2 Molecular oxygen p. 138
- 3.1.2 Approximate models p. 141
- 3.1.2.1 ITU-R model p. 141
- 3.1.2.2 Regression model p. 144
- 3.2 Absorption on a slant path p. 145
- 3.2.1 Attenuation p. 145
- 3.2.2 Brightness temperature p. 147
- 3.2.3 Approximate models p. 147
- 3.2.3.1 ITU-R model p. 147
- 3.2.3.2 Regression model p. 148
- 3.2.3.3 ACTS model p. 148
- 3.2.4 Specific attenuation profiles p. 150
- 3.2.4.1 June 4, 1996 p. 150
- 3.2.4.2 June 5, 1996 p. 153
- 3.2.4.3 June 6, 1996 p. 153
- 3.3 ACTS statistics p. 157
- 3.3.1 Twice-daily sky brightness temperature p. 157
- 3.3.1.1 Norman, OK p. 157
- 3.3.1.2 Fairbanks, AK p. 158
- 3.3.1.3 Vancouver, British Columbia p. 159
- 3.3.1.4 Greeley, CO p. 159
- 3.3.1.5 Tampa, FL p. 159
- 3.3.1.6 White Sands, NM p. 160
- 3.3.1.7 Reston, VA p. 161
- 3.3.2 Gaseous absorption distributions p. 162
- 3.3.2.1 Norman, OK p. 162
- 3.3.2.2 Fairbanks, AK p. 163
- 3.3.2.3 Vancouver, British Columbia p. 164
- 3.3.2.4 Greeley, CO p. 165
- 3.3.2.5 Tampa, FL p. 165
- 3.3.2.6 White Sands, NM p. 165
- 3.3.2.7 Reston, VA p. 165
- 3.4 List of symbols p. 167
- References p. 168
- Chapter 4 Refraction p. 169
- 4.1 Ray bending p. 169
- 4.1.1 Bending and focusing p. 171
- 4.1.2 Elevation angle error p. 175
- 4.1.3 Trapping or ducting p. 182
- 4.2 Path delay p. 191
- 4.2.1 Range error p. 191
- 4.2.2 Multipath p. 195

- 4.3 Scintillation p. 197
- 4.3.1 ACTS observations p. 197
- 4.3.2 Low elevation angle observations p. 213
- 4.3.3 Standard deviation prediction models p. 216
- 4.4 List of symbols p. 222
- References p. 223
- Chapter 5 Attenuation by clouds and rain p. 225
- 5.1 Rain p. 225
- 5.2 Rain attenuation p. 226
- 5.3 Seasonal rain attenuation statistics p. 233
- 5.3.1 Monthly statistics p. 233
- 5.3.2 Worst-month statistics p. 234
- 5.4 Fade duration p. 239
- 5.5 Fade rate p. 244
- 5.6 Rain attenuation models p. 248
- 5.6.1 Rain rate models p. 249
- 5.6.1.1 Crane local model p. 249
- 5.6.1.2 New ITU-R model p. 255
- 5.6.1.3 Comparison to ACTS observations p. 256
- 5.6.2 Two-component path attenuation model p. 262
- 5.6.3 Application of the models p. 269
- 5.7 List of symbols p. 279
- References p. 280
- Appendix 5.1 p. 281
- Appendix 5.2 p. 303
- References p. 303
- Index p. 305