

Table of Contents

- Prologue
- Chapter 1 An Introduction to the Human Body
 - 1.1 The human body is composed of six levels of structural organization and contains eleven organ systems
 - 1.4 The human body is described using the anatomical position and specific terms
 - 1.5 Body cavities are spaces within the body that help protect, separate, and support internal organs.
 - 1.2 The human body carries on basic life processes that distinguish it from nonliving objects.
 - 1.3 Homeostasis is controlled through feedback systems
- Chapter 2 The Chemical Level of Organization
 - 2.2 Atoms are held together by chemical bonds
 - 2.3 Chemical reactions occur when atoms combine with or separate from other atoms
 - 2.4 Inorganic compounds include water, salts, acids, and bases
 - 2.5 Organic molecules are large carbon-based molecules that carry out complex functions in living systems
 - 1.6 Serous membranes line the walls of body cavities and cover the organs within them.
 - 1.7 The abdominopelvic cavity is divided into regions or quadrants.
 - 2.1 Chemical elements are composed of small units called atoms
 - 2.7 Lipids are important for cell membrane structure, energy storage, and hormone production
 - 2.8 Proteins are amino acid complexes serving many diverse roles
 - 2.9 Nucleic acids contain genetic material and function in protein synthesis
 - 2.10 Adenosine triphosphate (ATP) is the principal energy-transferring molecule in living systems
 - 2.6 Carbohydrates function as building blocks and sources of energy
- Chapter 3 The Cellular Level of Organization
 - 3.1 The principal parts of a cell are the plasma membrane, the cytoplasm, and the nucleus
 - 3.2 The plasma membrane contains the cytoplasm and regulates exchanges with the extracellular environment
 - 3.3 Transport of a substance across the plasma membrane occurs by both passive and active processes
 - 3.4 Cytoplasm consists of the cytosol and organelles
 - 3.5 The nucleus contains nucleoli and genes
 - 3.6 Cells make proteins by transcribing and translating the genetic information contained in DNA
 - 3.7 Cell division allows the replacement of cells and the production of new cells
- Chapter 4 The Tissue Level of Organization
 - 4.1 Human body tissues can be classified as epithelial, connective, muscle, or nervous
 - 4.2 Epithelial tissue covers body surfaces, lines organs and body cavities, or secretes substances

- 4.3 Connective tissue binds organs together, stores energy reserves as fat, and helps provide immunity
- 4.4 Membranes cover the surface of the body, line body cavities, and cover organs
- 4.5 Muscle tissue generates the physical force needed to make body structures move
- 4.6 Nervous tissue consists of neurons and neuroglia
- 4.7 The ability of an injured tissue to repair itself depends on the extent of damage and the regenerative ability of the injured tissue. Body Systems
- Chapter 5 The Integumentary System
- 5.1 Skin is composed of a superficial epidermis and a deeper dermis, and is anchored by the hypodermis
- 5.2 The layers of the epidermis include the stratum basale, stratum spinosum, stratum granulosum, stratum lucidum, and stratum corneum
- 5.3 The dermis contains blood vessels, lymphatic vessels, nerves, sensory receptors, hair follicles, and glands
- 5.4 Skin color is a result of the pigments melanin, carotene, and hemoglobin
- 5.5 The functions of hair, skin glands, and nails include protection and body temperature regulation
- 5.6 Skin damage sets in motion a sequence of events that repairs the skin to its normal (or near-normal) structure and function
- 5.7 Skin regulates body temperature, protects underlying tissues, provides cutaneous sensations, excretes body wastes, and synthesizes vitamin D
- Chapter 6 Introduction to the Skeletal System
- 6.1 Skeletal system functions include support, protection, movement, mineral homeostasis, blood cell production, and energy storage
- 6.2 Bones are classified as long, short, flat, irregular, or sesamoid
- 6.3 Long bones have a diaphysis, a medullary cavity, epiphyses, metaphyses, and periosteum
- 6.5 Bones are richly supplied with blood vessels and nerves
- 6.6 The two types of bone formation are intramembranous ossification and endochondral ossification
- 6.7 Bones grow longer due to activity of the epiphyseal plate and increase in diameter by the addition of new osseous tissue around the outer surface
- 6.8 Bone remodeling renews osseous tissue, redistributes bone extracellular matrix, and repairs bone injuries
- Chapter 7 The Axial Skeleton
- 7.1 Bones of the axial skeleton and appendicular skeleton have characteristic surface markings
- 6.4 Osseous tissue can be arranged as compact bone tissue or spongy bone tissue
- 7.2 The skull provides attachment sites for muscles and membranes, and protects and supports the brain and sense organs
- 7.3 The cranial bones include the frontal, parietal, temporal, occipital, sphenoid, and ethmoid bones
- 7.4 Facial bones include the nasal bones, maxillae, zygomatic bones, mandible, lacrimal bones, palatine bones, inferior nasal conchae, and vomer
- 7.5 Unique features of the skull include the nasal septum, orbits, sutures, paranasal sinuses, and fontanelles

- 7.6 The hyoid bone supports the tongue and attaches to tongue, pharynx, and larynx muscles
- 7.7 The vertebral column encloses and protects the spinal cord, supports the head, and is a point of attachment for the ribs, pelvic girdle, and muscles of the back
- 7.8 A vertebra usually consists of a body, a vertebral arch, and several processes
- 7.9 Vertebrae in the different regions of the vertebral column vary in size, shape, and detail
- 7.10 The thoracic cage encloses and protects vital organs in the thorax and upper abdomen and provides support for the bones of the shoulder girdles and upper limbs
- Chapter 8 The Appendicular Skeleton
- 8.1 Each pectoral girdle, which consists of a clavicle and scapula, attaches an upper limb to the axial skeleton
- 8.2 The bones of each upper limb include the humerus, ulna, radius, carpals, metacarpals, and phalanges
- 8.3 The pelvic girdle supports the vertebral column and pelvic viscera and attaches the lower limbs to the axial skeleton
- 8.4 Male pelves are generally larger, heavier, and have more prominent markings; female pelves are generally wider and shallower
- 8.5 The bones of each lower limb include the femur, patella, tibia, fibula, tarsals, metatarsals, and phalanges
- Chapter 9 Articulations
- 9.1 Joints are classified structurally as fibrous, cartilaginous, or synovial; they are classified functionally as synarthroses, amphiarthroses, or diarthroses
- 9.3 Cartilaginous joints lack a synovial cavity and are held together by cartilage
- 9.4 Articulating surfaces of bones at a synovial joint are covered with articular cartilage and enclosed within a synovial cavity
- 9.5 Synovial joints are described as planar, hinge, pivot, condyloid, saddle, or ball-and-socket
- 9.6 Synovial joint movement terminology indicates the direction of movement or the relationships of body parts during movement
- 9.7 The shoulder, elbow, hip, and knee joints provide examples of synovial joint components, classifications, and movements
- Chapter 10 Muscle Tissue
- 10.1 Skeletal, cardiac, and smooth muscle tissues differ in location, structure, and function
- 10.2 Muscle tissue produces movement, generates heat, and stabilizes body positions; it possesses electrical excitability, contractility, extensibility, and elasticity
- 10.3 Skeletal muscles are surrounded by connective tissues and are well supplied with nerves and blood vessels
- 10.4 Each skeletal muscle fiber is covered by a sarcolemma; each of its myofibrils is surrounded by sarcoplasmic reticulum and contains sarcomeres
- 10.5 The neuromuscular junction is where a muscle action potential is initiated
- 10.6 An action potential releases calcium ions that allow thick filaments to bind to and pull thin filaments toward the center of the sarcomere
- 10.7 Muscle fiber tension is controlled by stimulation frequency and the number of motor units activated; changes in tension can produce isotonic or isometric contractions

- 10.8 Muscle fibers produce ATP from creatine phosphate, by anaerobic cellular respiration, and by aerobic cellular respiration
- 10.9 Skeletal muscle fibers are classified as slow oxidative fibers, fast oxidative-glycolytic fibers, or fast glycolytic fibers
- 10.10 Cardiac muscle tissue is found in the walls of the heart, and smooth muscle tissue is found in the walls of hollow organs, blood vessels, and airways
- Chapter 11 The Muscular System
- 11.1 Skeletal muscles produce movement when the insertion is pulled toward the origin
- 11.2 Skeletal muscles are named based on size, shape, action, location, or attachments
- 11.4 Muscles of the neck assist in swallowing and speech, and allow balance and movement of the head
- 11.5 Muscles of the torso help protect the abdominal viscera, move the vertebral column, and assist breathing
- 11.6 Muscles of the pelvic floor and perineum support the pelvic viscera, function as sphincters, and assist in urination, erection, ejaculation, and defecation
- 11.7 Muscles inserting on the upper limb move and stabilize the pectoral girdle, and move the arm, forearm, and hand
- 9.2 Fibrous joints lack a synovial cavity and are held together by fibrous connective tissue
- 11.3 Muscles of the head produce facial expressions, eyeball movement, and assist in biting, chewing, swallowing, and speech
- 11.8 Deep muscles of the back move the head and vertebral column
- 11.9 Muscles originating on the pelvic girdle or lower limb move the femur, leg, and foot
- Chapter 12 Introduction to the Nervous System
- 12.1 The nervous system maintains homeostasis and integrates all body activities
- 12.2 The nervous system is organized into the central and peripheral nervous systems
- 12.3 Neurons are responsible for most of the unique functions of the nervous system
- 12.4 Neuroglia support, nourish, and protect neurons and maintain homeostasis
- 12.5 Neurons communicate with other cells
- 12.6 Graded potentials are the first response of a neuron to stimulation
- 12.7 The action potential is an all-or-none electrical signal
- 12.8 Action potentials propagate from the trigger zone to axon terminals
- 12.9 The synapse is a special junction between neurons
- 12.10 PNS neurons have a greater capacity for repair and regeneration than CNS neurons
- Chapter 13 The Central Nervous System
- 13.1 The CNS consists of the brain, the spinal cord, and several protective structures.
- 13.2 The CNS is nourished by blood and cerebrospinal fluid, which also provides mechanical and chemical protection.
- 13.3 The cerebrum interprets sensory impulses, controls muscular movements, and functions in intellectual processes.
- 13.4 The limbic system controls emotions, behavior, and memory.
- 13.5 The cerebral cortex can be divided functionally into sensory areas, motor areas, and association areas.

- 13.6 The diencephalon includes the thalamus and the hypothalamus.
- 13.7 The midbrain, pons, and medulla oblongata of the brain stem serve as a relay station and control center.
- 13.8 The cerebellum coordinates movements and helps maintain normal muscle tone, posture, and balance.
- 13.9 The spinal cord gray matter receives sensory input and provides motor output through spinal nerves
- 13.10 The spinal cord conducts nerve impulses between spinal nerves and the brain, and contains reflex pathways
- Chapter 14 The Peripheral Nervous System
- 14.1 Nerves have three protective connective tissue coverings
- 14.2 Twelve pairs of cranial nerves distribute primarily to regions of the head and neck
- 14.3 Each spinal nerve branches into a posterior ramus, anterior ramus, meningeal branch, and rami communicantes
- 14.4 A reflex is produced by a reflex arc in response to a particular stimulus
- 14.5 The autonomic nervous system produces involuntary movements
- 14.6 The ANS includes preganglionic neurons, autonomic ganglia and plexuses, and postganglionic neurons
- 14.7 ANS neurons release acetylcholine or norepinephrine, resulting in excitation or inhibition
- 14.8 The sympathetic division supports vigorous physical activity; the parasympathetic division conserves body energy
- 14.9 Autonomic reflexes regulate controlled body conditions and are primarily integrated by the hypothalamus
- Chapter 15 Sensory, Motor, and Integrative Systems
- 15.1 Sensations arise as a result of stimulation, transduction, generation, and integration
- 15.2 Sensory receptors can be classified structurally, functionally, or by the type of stimulus detected
- 15.3 Somatic sensations include tactile sensations, thermal sensations, pain, and proprioception
- 15.4 The somatosensory and primary motor areas of the cerebral cortex unequally serve different body regions
- 15.5 Somatic sensory pathways relay information from sensory receptors to the cerebral cortex and cerebellum
- 15.6 Somatic motor pathways carry impulses from the brain to effectors
- 15.7 Wakefulness and memory are integrative functions of the brain
- Chapter 16 The Special Senses
- 16.1 Impulses for smell propagate along the olfactory nerve to the brain
- 16.2 Impulses for taste propagate along the facial, glossopharyngeal, and vagus nerves to the brain
- 16.3 The eye is protected by eyelids, eyelashes, eyebrows, and a lacrimal apparatus
- 16.4 The eye is constructed of three layers and two chambers
- 16.5 Image formation involves refraction of light rays, change in lens shape, and constriction of the pupil

- 16.6 The neural pathway for light is photoreceptors → ganglion cells → optic nerve → primary visual cortex
- 16.7 The three main regions of the ear are the external, middle, and internal ear
- 16.8 The pathway of sound is tympanic membrane → ossicles → oval window → cochlea → vestibulocochlear nerve → primary auditory cortex
- 16.9 Impulses for equilibrium propagate along the vestibulocochlear nerve to the brain
- Chapter 17 The Endocrine System
- 17.1 The endocrine system works more slowly than the nervous system, releasing hormones into the blood that can control virtually all body cells
- 17.2 The secretion of hormones is regulated by signals from the nervous system, chemical changes in the blood, and other hormones
- 17.3 The hypothalamus regulates anterior pituitary hormone secretion of seven important hormones
- 17.8 The pancreatic islets regulate blood glucose levels by secreting glucagon and insulin
- 17.10 The pineal gland secretes melatonin, which contributes to setting the body's biological clock
- Chapter 18 The Cardiovascular System: The Blood
- 17.4 Oxytocin and antidiuretic hormone originate in the hypothalamus and are stored in the posterior pituitary
- 17.5 The thyroid gland secretes the thyroid hormones thyroxine, triiodothyronine, and calcitonin
- 17.9 The ovaries produce estrogens, progesterone, and inhibin; the testes produce testosterone and inhibin
- 17.6 The parathyroid glands secrete parathyroid hormone, which regulates calcium, magnesium, and phosphate ion levels
- 17.7 The adrenal cortex secretes mineralocorticoids, glucocorticoids, and androgens; the adrenal medulla secretes epinephrine and norepinephrine
- 18.1 Blood contains plasma and formed elements and transports essential substances through the body
- 18.2 Hemopoiesis is the production of formed elements
- 18.3 Mature red blood cells are biconcave cells containing hemoglobin
- 18.4 Red blood cells have a life cycle of 120 days
- 18.5 Erythropoiesis is the process of red blood cell formation
- 18.6 Blood is categorized into groups based on surface antigens
- 18.7 White blood cells combat inflammation and infection
- 18.8 Platelets reduce blood loss from damaged vessels
- 18.9 Hemostasis is the sequence of events that stops bleeding from a damaged blood vessel
- Chapter 19 The Cardiovascular System: The Heart
- 19.1 The heart is located in the mediastinum and has a muscular wall covered by pericardium
- 19.2 The heart has four chambers, two upper atria and two lower ventricles
- 19.3 Heart valves ensure one-way flow of blood
- 19.4 The heart pumps blood to the lungs for oxygenation, then pumps oxygen-rich blood throughout the body

- 19.5 The cardiac conduction system coordinates heart contractions for effective pumping
- 19.6 The electrocardiogram is a record of electrical activity associated with each heartbeat
- 19.7 The cardiac cycle represents all the events associated with one heartbeat
- 19.8 Cardiac output is the blood volume ejected by a ventricle each minute
- Chapter 20 The Cardiovascular System: Blood Vessels
- 20.1 Most blood vessel walls have three distinct tissue layers
- 20.2 Blood ejected from the heart flows through elastic arteries, muscular arteries, and then arterioles
- 20.3 Capillaries are microscopic blood vessels that function in exchange between blood and interstitial fluid
- 20.4 Venules and veins return blood to the heart
- 20.5 Blood flow occurs from regions of higher pressure to those of lower pressure
- 20.6 Blood pressure is regulated by neural and hormonal negative feedback systems
- 20.7 Measurement of the pulse and blood pressure are two ways to assess the functioning of the cardiovascular system
- 20.8 The two main circulatory routes are the pulmonary circulation and the systemic circulation
- 20.9 Systemic arteries carry blood from the heart to all body organs except the lungs
- 20.10 Systemic veins return blood to the heart from all body organs except the lungs
- Chapter 21 The Lymphatic System and Immunity
- 21.1 The lymphatic system drains interstitial fluid, transports dietary lipids, and protects against invasion
- 21.2 Lymph flows through lymphatic capillaries, lymphatic vessels, and lymph nodes
- 21.3 The lymphatic organs and tissues include the thymus, lymph nodes, spleen, and lymphatic nodules
- 21.4 Innate immunity includes external physical and chemical barriers and various internal defenses
- 21.5 Adaptive immunity involves the production of a specific lymphocyte or antibody against a specific antigen
- 21.7 In antibody-mediated immunity, antibodies specifically target a particular antigen
- 21.8 The complement system destroys microbes through phagocytosis, cytolysis, and inflammation
- 21.9 Immunological memory results in a more intense secondary response to an antigen
- Chapter 22 The Respiratory System
- 22.1 Inhaled air travels in the upper respiratory system through the nasal cavities of the nose and then through the pharynx
- 22.2 Inhaled air travels in the lower respiratory system from the larynx to alveoli
- 22.3 Inhalation and exhalation result from pressure changes caused by muscle contraction and relaxation
- 22.4 Important measurements of lung volumes and capacities include tidal volume, inspiratory reserve volume, expiratory reserve volume, residual volume, and lung capacities

- 22.5 Oxygen and carbon dioxide diffuse into or out of the blood based on partial pressure gradients and solubility
- 22.6 Respiration occurs between alveoli and pulmonary blood capillaries and between systemic blood capillaries and tissue cells
- 22.7 Oxygen is primarily transported attached to hemoglobin, while carbon dioxide is transported in three different ways
- 22.8 The basic rhythm of respiration is controlled by the respiratory center in the brain stem
- 21.6 In cell-mediated immunity cytotoxic T cells directly attack target cells
- 22.9 Respiration may be modified by cortical influences, chemical stimuli, proprioceptor input; and the inflation reflex
- 22.10 The overall acid-base balance of the body is maintained by controlling the H⁺ concentration of body fluids
- Chapter 23 The Digestive System
- 23.1 The GI tract is a continuous multilayered tube extending from the mouth to the anus
- 23.2 The mouth lubricates and begins digestion of food, and maneuvers it to the pharynx for swallowing
- 23.3 Swallowing consists of voluntary oral, involuntary pharyngeal, and involuntary esophageal stages
- 23.4 The stomach mechanically breaks down the bolus and mixes it with gastric secretions
- 23.5 The pancreas secretes pancreatic juice, the liver secretes bile, and the gallbladder stores and concentrates bile
- 23.6 In the small intestine, chyme mixes with digestive juices from the small intestine, pancreas, and liver
- 23.7 In the large intestine, the final secretion and absorption of nutrients occur as chyme moves toward the rectum
- 23.8 Digestive activities occur in three overlapping phases: cephalic, gastric, and intestinal
- 23.9 Food molecules supply energy for life processes and serve as building blocks for complex molecules
- 23.10 Metabolism includes the catabolism and anabolism of molecules
- Chapter 24 The Urinary System
- 24.1 The kidneys regulate the composition of the blood, produce hormones, and excrete wastes and foreign substances
- 24.2 After blood is filtered in the renal cortex, the resulting urine travels through the renal medulla, calyces, and renal pelvis
- 24.3 Each of the nephrons consists of a renal corpuscle and a renal tubule
- 24.4 The functions of the nephrons and collecting ducts are glomerular filtration, tubular secretion, and tubular reabsorption
- 24.5 Unlike other components of the blood, water and solutes easily pass through the filtration membrane during glomerular filtration
- 24.6 Tubular reabsorption reclaims substances from the filtrate, while tubular secretion discharges substances not needed by the body
- 24.7 Four hormones regulate tubular reabsorption and tubular secretion

- 24.8 Antidiuretic hormone affects the concentration of urine produced by the kidneys
- 24.9 The ureters transport urine from the renal pelvis to the urinary bladder where it is stored until micturition
- 24.10 The kidneys help maintain the overall fluid and acid-base balance of the body
- Chapter 25 The Reproductive Systems and Development
- 25.1 The scrotum supports and regulates the temperature of the testes, which produce spermatozoa
- 25.2 Sperm are transported from the testes through the epididymis, ductus deferens, ejaculatory ducts, and urethra
- 25.3 After a secondary oocyte is discharged from an ovary, it may undergo fertilization and implantation in the uterus
- 25.4 The vagina is a passageway for childbirth; the mammary glands secrete milk
- 25.5 The female reproductive cycle includes the ovarian and uterine cycles
- 25.6 The zygote divides into a morula and then a blastocyst that implants in the endometrium of the uterus
- 25.7 During the embryonic period, the embryonic membranes and most major organs develop
- 25.8 During pregnancy the uterus expands, maternal gastrointestinal tract organs are displaced, and the ureters and urinary bladder are compressed
- 25.9 Labor includes dilation of the cervix and expulsion of the fetus and placenta
- 25.10 Milk production and ejection are influenced by prolactin, estrogens, progesterone, and oxytocin
- Epilogue
- Appendices
- Glossary
- Index