

## Table of Contents

- Introduction
- What is usability testing?
- What is a medical device?
- Is usability testing of medical devices required?
- Do you have to test minor design changes?
- How do you defend usability testing methods to market researchers?
- Why conduct usability tests of medical devices?
- Does usability matter to regulators?
- Risk Management and Usability Testing
- What is the relationship between usability testing and risk management?
- What is a dangerous use error?
- Is usability testing a reliable way to assess the likelihood that a dangerous use error will occur?
- Can usability testing identify use-related hazards?
- The Commercial Imperative
- How does testing affect the development schedule?
- Does usability testing offer liability protection?
- Testing Costs
- What should a request for quotation for usability testing include?
- What does a usability test cost?
- What is the return on investment?
- Anatomy of a Usability Test
- What are the common elements of a usability test?
- What is a test session's proper duration?
- Do you have to be a usability specialist to conduct a test?
- Does it take a "brain surgeon" to evaluate medical devices?
- Why test if you cannot change the design?
- Can you develop marketing claims based on test results?
- How do you set expectations?
- What can postpone a usability test?
- Types of Tests
- What is the difference between formative and summative usability testing?
- What is a benchmark usability test?
- What is an "out of the box" usability test?
- Can a test session include more than one participant?
- Can you conduct a group test?
- How do you conduct a "quick and dirty" usability test?
- Writing a Test Plan
- What should a test plan include?
- What are the key elements of a usability test plan from a regulatory perspective?
- Do usability test plans require Institutional Review Board (IRB) approval?
- How do you protect intellectual property
- Choosing a Participant Sample and Recruiting Participants
- What is an appropriate sample size?

- Can advisory panel members play a role in usability tests?
- Should children participate in usability tests?
- Should seniors participate in usability tests?
- How do you conduct a usability test involving people with impairments?
- How do you recruit test participants?
- How do you recruit physicians?
- How do you recruit nurses?
- How do you recruit laypersons?
- How do you prevent "no-shows?"
- Test Environments
- What is the benefit of testing in a medical environment simulator?
- How do you test in actual use environments?
- Should you test in a participant's workplace?
- Can you conduct a usability test over the Web?
- Can you test a device while it's in actual use?
- What if a "device" cannot be moved?
- Adding Realism
- Why and how do you distract test participants?
- What role can a "standardized patient" play?
- What use is a mannequin?
- How do you simulate invasive procedures?
- How do you simulate blood?
- How do you simulate skin and injections?
- How do you simulate impairments?
- How do you simulate hardware interactions?
- How do you simulate other medical devices?
- Selecting Tasks
- Do you have to test everything?
- What tasks should test participants perform?
- Why focus on potentially dangerous tasks?
- How do you choose tasks when evaluating use-safety?
- Should tests include maintenance and service tasks?
- Can you test long-term usability?
- How do you test alarms?
- How do you test warning labels?
- How do you test instructions for use?
- How do you test symbols?
- How do you test legibility?
- How do you evaluate packaging?
- How do you test a device's appeal?
- Conducting the Test
- What's the value of pilot testing?
- Who should observe the test sessions?
- What kinds of usability problems arise during a usability test?
- What can go wrong before, during, and after a test?
- What risk do test personnel assume?

- Are there times when the testing staff should be all-female or all-male?
- Should user interface designers conduct usability tests of their own designs?
- When and how should you assist test participants?
- Can you modify a test-in-progress?
- Can you reliably detect use errors?
- Can you give test participants training?
- Should you provide access to learning tools?
- Interacting with Test Participants
- When is it appropriate to ask participants to think aloud?
- What's the proper way to pose a question?
- Is there a place for humor in a usability test?
- How do you minimize participant fatigue?
- How do you protect participants from harm?
- What if the test participant gets hurt?
- Documenting the Test
- What data should you collect?
- What use are task times?
- What's a good way to video record a session?
- How do you video record participants' interactions with a moving device?
- Analyzing Test Data
- What kind of statistical analyses are most useful?
- How do you handle outliers?
- How do you deal with use errors that are not design-related?
- Reporting Results
- What makes a good test report?
- Should test reports include design recommendations?
- Can usability test results be misleading?
- How do you deliver bad news?
- How do you explain a lack of statistical significance?
- What goes into making a highlight video?
- Validation Testing
- How does design validation differ from design verification?
- Do you need to conduct a test prior to filing for an Investigational Device Exemption?
- Can a clinical trial supplant summative usability testing?
- Can you conduct a usability test in parallel with a clinical trial?
- Can you conduct a summative usability test without conducting a formative usability test?
- Resources
- Index