

[❏ Preface](#)

[Who This Book Is For](#)

[How This Book Is Organized](#)

[What You Need to Use This Book](#)

[Conventions Used in This Book](#)

[Access This Book in Digital Format](#)

[OâReilly Online Learning](#)

[How to Contact Us](#)

[Acknowledgments](#)

[❏ Tour](#)

[❏ A Guided Tour of PowerShell](#)

[Introduction](#)

[An Interactive Shell](#)

[Structured Commands \(Cmdlets\)](#)

[Deep Integration of Objects](#)

[Administrators as First-Class Users](#)

[Composable Commands](#)

[Techniques to Protect You from Yourself](#)

[Common Discovery Commands](#)

[Ubiquitous Scripting](#)

[Ad Hoc Development](#)

[Bridging Technologies](#)

[Namespace Navigation Through Providers](#)

[Much, Much More](#)

[❏ Fundamentals](#)

[❏ 1. The PowerShell Interactive Shell](#)

[1.0. Introduction](#)

[1.1. Install PowerShell Core](#)

[1.2. Run Programs, Scripts, and Existing Tools](#)

[1.3. Run a PowerShell Command](#)

[1.4. Resolve Errors Calling Native Executables](#)

[1.5. Supply Default Values for Parameters](#)

[1.6. Invoke a Long-Running or Background Command](#)

[1.7. Program: Monitor a Command for Changes](#)

[1.8. Notify Yourself of Job Completion](#)

[1.9. Customize Your Shell, Profile, and Prompt](#)

[1.10. Customize PowerShellâs User Input Behavior](#)

[1.11. Customize PowerShellâs Command Resolution Behavior](#)

[1.12. Find a Command to Accomplish a Task](#)

[1.13. Get Help on a Command](#)

[1.14. Update System Help Content](#)

[1.15. Program: Search Help for Text](#)

[1.16. Launch PowerShell at a Specific Location](#)

[1.17. Invoke a PowerShell Command or Script from Outside PowerShell](#)

[1.18. Understand and Customize PowerShellâs Tab Completion](#)

[1.19. Program: Learn Aliases for Common Commands](#)

[1.20. Program: Learn Aliases for Common Parameters](#)

[1.21. Access and Manage Your Console History](#)

[1.22. Program: Create Scripts from Your Session History](#)

[1.23. Invoke a Command from Your Session History](#)

[1.24. Program: Search Formatted Output for a Pattern](#)

[1.25. Interactively View and Process Command Output](#)

[1.26. Program: Interactively View and Explore Objects](#)

[1.27. Record a Transcript of Your Shell Session](#)

[1.28. Extend Your Shell with Additional Commands](#)

[1.29. Find and Install Additional PowerShell Scripts and Modules](#)

[1.30. Use Commands from Customized Shells](#)

[1.31. Save State Between Sessions](#)

[❏ 2. Pipelines](#)

[2.0. Introduction](#)

[2.1. Chain Commands Based on Their Success or Error](#)

[2.2. Filter Items in a List or Command Output](#)

[2.3. Group and Pivot Data by Name](#)

[2.4. Interactively Filter Lists of Objects](#)

[2.5. Work with Each Item in a List or Command Output](#)

[2.6. Automate Data-Intensive Tasks](#)

[2.7. Intercept Stages of the Pipeline](#)

[2.8. Automatically Capture Pipeline Output](#)

[2.9. Capture and Redirect Binary Process Output](#)

[❏ 3. Variables and Objects](#)

[3.0. Introduction](#)

[3.1. Display the Properties of an Item as a List](#)

[3.2. Display the Properties of an Item as a Table](#)

[3.3. Store Information in Variables](#)

[3.4. Access Environment Variables](#)

[3.5. Program: Retain Changes to Environment Variables Set by a Batch File](#)

[3.6. Control Access and Scope of Variables and Other Items](#)

[3.7. Program: Create a Dynamic Variable](#)

[3.8. Work with .NET Objects](#)

[3.9. Create an Instance of a .NET Object](#)

[3.10. Create Instances of Generic Objects](#)

[3.11. Use a COM Object](#)

[3.12. Learn About Types and Objects](#)

[3.13. Get Detailed Documentation About Types and Objects](#)

[3.14. Add Custom Methods and Properties to Objects](#)

[3.15. Create and Initialize Custom Objects](#)

[3.16. Add Custom Methods and Properties to Types](#)

[3.17. Define Custom Formatting for a Type](#)

[❏ 4. Looping and Flow Control](#)

[4.0. Introduction](#)

[4.1. Make Decisions with Comparison and Logical Operators](#)

[4.2. Adjust Script Flow Using Conditional Statements](#)

[4.3. Manage Large Conditional Statements with Switches](#)

[4.4. Repeat Operations with Loops](#)

[4.5. Process Time-Consuming Action in Parallel](#)

[4.6. Add a Pause or Delay](#)

[❏ 5. Strings and Unstructured Text](#)

[5.0. Introduction](#)

[5.1. Create a String](#)

[5.2. Create a Multiline or Formatted String](#)

[5.3. Place Special Characters in a String](#)

[5.4. Insert Dynamic Information in a String](#)

[5.5. Prevent a String from Including Dynamic Information](#)

[5.6. Place Formatted Information in a String](#)

[5.7. Search a String for Text or a Pattern](#)

[5.8. Replace Text in a String](#)

[5.9. Split a String on Text or a Pattern](#)

[5.10. Combine Strings into a Larger String](#)

[5.11. Convert a String to Uppercase or Lowercase](#)

[5.12. Trim a String](#)

[5.13. Format a Date for Output](#)

[5.14. Convert a String Between One Format and Another](#)

[5.15. Convert Text Streams to Objects](#)

[5.16. Generate Large Reports and Text Streams](#)

- [5.17. Generate Source Code and Other Repetitive Text](#)
- ▣ [6. Calculations and Math](#)
 - [6.0. Introduction](#)
 - [6.1. Perform Simple Arithmetic](#)
 - [6.2. Perform Complex Arithmetic](#)
 - [6.3. Measure Statistical Properties of a List](#)
 - [6.4. Work with Numbers as Binary](#)
 - [6.5. Simplify Math with Administrative Constants](#)
 - [6.6. Convert Numbers Between Bases](#)
- ▣ [7. Lists, Arrays, and Hashtables](#)
 - [7.0. Introduction](#)
 - [7.1. Create an Array or List of Items](#)
 - [7.2. Create a Jagged or Multidimensional Array](#)
 - [7.3. Access Elements of an Array](#)
 - [7.4. Visit Each Element of an Array](#)
 - [7.5. Sort an Array or List of Items](#)
 - [7.6. Determine Whether an Array Contains an Item](#)
 - [7.7. Combine Two Arrays](#)
 - [7.8. Find Items in an Array That Match a Value](#)
 - [7.9. Compare Two Lists](#)
 - [7.10. Remove Elements from an Array](#)
 - [7.11. Find Items in an Array Greater or Less Than a Value](#)
 - [7.12. Use the ArrayList Class for Advanced Array Tasks](#)
 - [7.13. Create a Hashtable or Associative Array](#)
 - [7.14. Sort a Hashtable by Key or Value](#)
- ▣ [8. Utility Tasks](#)
 - [8.0. Introduction](#)
 - [8.1. Get the System Date and Time](#)
 - [8.2. Measure the Duration of a Command](#)
 - [8.3. Read and Write from the Clipboard](#)
 - [8.4. Generate a Random Number or Object](#)
 - [8.5. Convert Time Between Time Zones](#)
 - [8.6. Program: Search the Windows Start Menu](#)
 - [8.7. Program: Show Colorized Script Content](#)
- ▣ [Common Tasks](#)
- ▣ [9. Simple Files](#)
 - [9.0. Introduction](#)
 - [9.1. Get the Content of a File](#)
 - [9.2. Store the Output of a Command into a File](#)
 - [9.3. Add Information to the End of a File](#)
 - [9.4. Search a File for Text or a Pattern](#)
 - [9.5. Parse and Manage Text-Based Logfiles](#)
 - [9.6. Parse and Manage Binary Files](#)
 - [9.7. Create and Manage Temporary Files](#)
 - [9.8. Search and Replace Text in a File](#)
 - [9.9. Program: Get the Encoding of a File](#)
 - [9.10. View the Hexadecimal Representation of Content](#)
- ▣ [10. Structured Files](#)
 - [10.0. Introduction](#)
 - [10.1. Access Information in an XML File](#)
 - [10.2. Perform an XPath Query Against XML](#)
 - [10.3. Convert Objects to XML](#)
 - [10.4. Modify Data in an XML File](#)
 - [10.5. Easily Import and Export Your Structured Data](#)
 - [10.6. Store the Output of a Command in a CSV or Delimited File](#)
 - [10.7. Import CSV and Delimited Data from a File](#)
 - [10.8. Manage JSON Data Streams](#)

- [10.9. Use Excel to Manage Command Output](#)
- [10.10. Parse and Interpret PowerShell Scripts](#)
- ▣ [11. Code Reuse](#)
 - [11.0. Introduction](#)
 - [11.1. Write a Script](#)
 - [11.2. Write a Function](#)
 - [11.3. Find a Verb Appropriate for a Command Name](#)
 - [11.4. Write a Script Block](#)
 - [11.5. Return Data from a Script, Function, or Script Block](#)
 - [11.6. Package Common Commands in a Module](#)
 - [11.7. Write Commands That Maintain State](#)
 - [11.8. Selectively Export Commands from a Module](#)
 - [11.9. Diagnose and Interact with Internal Module State](#)
 - [11.10. Handle Cleanup Tasks When a Module Is Removed](#)
 - [11.11. Access Arguments of a Script, Function, or Script Block](#)
 - [11.12. Add Validation to Parameters](#)
 - [11.13. Accept Script Block Parameters with Local Variables](#)
 - [11.14. Dynamically Compose Command Parameters](#)
 - [11.15. Provide -WhatIf, -Confirm, and Other Cmdlet Features](#)
 - [11.16. Add Help to Scripts or Functions](#)
 - [11.17. Add Custom Tags to a Function or Script Block](#)
 - [11.18. Access a Script's Pipeline Input](#)
 - [11.19. Write Pipeline-Oriented Scripts with Cmdlet Keywords](#)
 - [11.20. Write a Pipeline-Oriented Function](#)
 - [11.21. Organize Scripts for Improved Readability](#)
 - [11.22. Invoke Dynamically Named Commands](#)
 - [11.23. Program: Enhance or Extend an Existing Cmdlet](#)
- ▣ [12. Internet-Enabled Scripts](#)
 - [12.0. Introduction](#)
 - [12.1. Download a File from an FTP or Internet Site](#)
 - [12.2. Upload a File to an FTP Site](#)
 - [12.3. Program: Resolve the Destination of an Internet Redirect](#)
 - [12.4. Download a Web Page from the Internet](#)
 - [12.5. Parse and Analyze a Web Page from the Internet](#)
 - [12.6. Script a Web Application Session](#)
 - [12.7. Interact with REST-Based Web APIs](#)
 - [12.8. Connect to a Web Service](#)
 - [12.9. Interact with and Manage Remote SSL Certificates](#)
 - [12.10. Export Command Output as a Web Page](#)
 - [12.11. Send an Email](#)
 - [12.12. Program: Monitor Website Uptimes](#)
 - [12.13. Program: Interact with Internet Protocols](#)
- ▣ [13. User Interaction](#)
 - [13.0. Introduction](#)
 - [13.1. Read a Line of User Input](#)
 - [13.2. Read a Key of User Input](#)
 - [13.3. Program: Display a Menu to the User](#)
 - [13.4. Display Messages and Output to the User](#)
 - [13.5. Provide Progress Updates on Long-Running Tasks](#)
 - [13.6. Write Culture-Aware Scripts](#)
 - [13.7. Support Other Languages in Script Output](#)
 - [13.8. Program: Invoke a Script Block with Alternate Culture Settings](#)
 - [13.9. Access Features of the Host's UI](#)
 - [13.10. Add a Graphical User Interface to Your Script](#)
 - [13.11. Program: Add a Console UI to Your Script](#)
 - [13.12. Interact with MTA Objects](#)
- ▣ [14. Debugging](#)

- [14.0. Introduction](#)
- [14.1. Prevent Common Scripting Errors](#)
- [14.2. Write Unit Tests for your Scripts](#)
- [14.3. Trace Script Execution](#)
- [14.4. Set a Script Breakpoint](#)
- [14.5. Debug a Script When It Encounters an Error](#)
- [14.6. Create a Conditional Breakpoint](#)
- [14.7. Investigate System State While Debugging](#)
- [14.8. Debug a Script on a Remote Machine](#)
- [14.9. Program: Watch an Expression for Changes](#)
- [14.10. Debug a Script in Another Process](#)
- [14.11. Program: Get Script Code Coverage](#)
- ▣ [15. Tracing and Error Management](#)
- [15.0. Introduction](#)
- [15.1. Determine the Status of the Last Command](#)
- [15.2. View the Errors Generated by a Command](#)
- [15.3. Manage the Error Output of Commands](#)
- [15.4. Program: Resolve an Error](#)
- [15.5. Configure Debug, Verbose, and Progress Output](#)
- [15.6. Handle Warnings, Errors, and Terminating Errors](#)
- [15.7. Output Warnings, Errors, and Terminating Errors](#)
- [15.8. Analyze a Script's Performance Profile](#)
- ▣ [16. Environmental Awareness](#)
- [16.0. Introduction](#)
- [16.1. View and Modify Environment Variables](#)
- [16.2. Modify the User or System Path](#)
- [16.3. Access Information About Your Command's Invocation](#)
- [16.4. Program: Investigate the InvocationInfo Variable](#)
- [16.5. Find Your Script's Name](#)
- [16.6. Find Your Script's Location](#)
- [16.7. Find the Location of Common System Paths](#)
- [16.8. Get the Current Location](#)
- [16.9. Safely Build File Paths Out of Their Components](#)
- [16.10. Interact with PowerShell's Global Environment](#)
- [16.11. Determine PowerShell Version Information](#)
- [16.12. Test for Administrative Privileges](#)
- ▣ [17. Extend the Reach of PowerShell](#)
- [17.0. Introduction](#)
- [17.1. Automate Programs Using COM Scripting Interfaces](#)
- [17.2. Program: Query a SQL Data Source](#)
- [17.3. Access Windows Performance Counters](#)
- [17.4. Access Windows API Functions](#)
- [17.5. Program: Invoke Simple Windows API Calls](#)
- [17.6. Define or Extend a .NET Class](#)
- [17.7. Add Inline C# to Your PowerShell Script](#)
- [17.8. Access a .NET SDK Library](#)
- [17.9. Create Your Own PowerShell Cmdlet](#)
- [17.10. Add PowerShell Scripting to Your Own Program](#)
- ▣ [18. Security and Script Signing](#)
- [18.0. Introduction](#)
- [18.1. Enable Scripting Through an Execution Policy](#)
- [18.2. Enable PowerShell Security Logging](#)
- [18.3. Disable Warnings for UNC Paths](#)
- [18.4. Sign a PowerShell Script, Module, or Formatting File](#)
- [18.5. Create a Self-Signed Certificate](#)
- [18.6. Manage PowerShell Security in an Enterprise](#)
- [18.7. Block Scripts by Publisher, Path, or Hash](#)

- [18.8. Verify the Digital Signature of a PowerShell Script](#)
- [18.9. Securely Handle Sensitive Information](#)
- [18.10. Securely Request Usernames and Passwords](#)
- [18.11. Start a Process as Another User](#)
- [18.12. Program: Run a Temporarily Elevated Command](#)
- [18.13. Securely Store Credentials on Disk](#)
- [18.14. Access User and Machine Certificates](#)
- [18.15. Program: Search the Certificate Store](#)
- [18.16. Add and Remove Certificates](#)
- [18.17. Manage Security Descriptors in SDDL Form](#)
- [18.18. Create a Task-Specific Remoting Endpoint](#)
- [18.19. Limit Interactive Use of PowerShell](#)
- [18.20. Detect and Prevent Code Injection Vulnerabilities](#)
- [18.21. Get the Cryptographic Hash of a File](#)
- [18.22. Capture and Validate Integrity of File Sets](#)
- ☒ [19. Visual Studio Code](#)
- [19.0. Introduction](#)
- [19.1. Debug a Script](#)
- [19.2. Connect to a Remote Computer](#)
- [19.3. Interact with Visual Studio Code Through Its Object Model](#)
- [19.4. Quickly Insert Script Snippets](#)
- ☒ [Administrator Tasks](#)
- ☒ [20. Files and Directories](#)
- [20.0. Introduction](#)
- [20.1. Determine and Change the Current Location](#)
- [20.2. Get the Files in a Directory](#)
- [20.3. Find All Files Modified Before a Certain Date](#)
- [20.4. Clear the Content of a File](#)
- [20.5. Manage and Change the Attributes of a File](#)
- [20.6. Find Files That Match a Pattern](#)
- [20.7. Manage Files That Include Special Characters](#)
- [20.8. Program: Get Disk Usage Information](#)
- [20.9. Monitor a File for Changes](#)
- [20.10. Get the Version of a DLL or Executable](#)
- [20.11. Create a Directory](#)
- [20.12. Remove a File or Directory](#)
- [20.13. Rename a File or Directory](#)
- [20.14. Move a File or Directory](#)
- [20.15. Create and Map PowerShell Drives](#)
- [20.16. Access Long File and Directory Names](#)
- [20.17. Unblock a File](#)
- [20.18. Interact with Alternate Data Streams](#)
- [20.19. Program: Move or Remove a Locked File](#)
- [20.20. Get the ACL of a File or Directory](#)
- [20.21. Set the ACL of a File or Directory](#)
- [20.22. Program: Add Extended File Properties to Files](#)
- [20.23. Manage ZIP Archives](#)
- ☒ [21. The Windows Registry](#)
- [21.0. Introduction](#)
- [21.1. Navigate the Registry](#)
- [21.2. View a Registry Key](#)
- [21.3. Modify or Remove a Registry Key Value](#)
- [21.4. Create a Registry Key Value](#)
- [21.5. Remove a Registry Key](#)
- [21.6. Safely Combine Related Registry Modifications](#)
- [21.7. Add a Site to an Internet Explorer Security Zone](#)
- [21.8. Modify Internet Explorer Settings](#)

- [21.9. Program: Search the Windows Registry](#)
- [21.10. Get the ACL of a Registry Key](#)
- [21.11. Set the ACL of a Registry Key](#)
- [21.12. Work with the Registry of a Remote Computer](#)
- [21.13. Program: Get Registry Items from Remote Machines](#)
- [21.14. Program: Get Properties of Remote Registry Keys](#)
- [21.15. Program: Set Properties of Remote Registry Keys](#)
- [21.16. Discover Registry Settings for Programs](#)
- ☒ [22. Comparing Data](#)
- [22.0. Introduction](#)
- [22.1. Compare the Output of Two Commands](#)
- [22.2. Determine the Differences Between Two Files](#)
- ☒ [23. Event Logs](#)
- [23.0. Introduction](#)
- [23.1. List All Event Logs](#)
- [23.2. Get the Oldest Entries from an Event Log](#)
- [23.3. Find Event Log Entries with Specific Text](#)
- [23.4. Retrieve and Filter Event Log Entries](#)
- [23.5. Find Event Log Entries by Their Frequency](#)
- [23.6. Back Up an Event Log](#)
- [23.7. Create or Remove an Event Log](#)
- [23.8. Write to an Event Log](#)
- [23.9. Run a PowerShell Script for Windows Event Log Entries](#)
- [23.10. Clear or Maintain an Event Log](#)
- [23.11. Access Event Logs of a Remote Machine](#)
- ☒ [24. Processes](#)
- [24.0. Introduction](#)
- [24.1. List Currently Running Processes](#)
- [24.2. Launch the Application Associated with a Document](#)
- [24.3. Launch a Process](#)
- [24.4. Stop a Process](#)
- [24.5. Get the Owner of a Process](#)
- [24.6. Get the Parent Process of a Process](#)
- [24.7. Debug a Process](#)
- ☒ [25. System Services](#)
- [25.0. Introduction](#)
- [25.1. List All Running Services](#)
- [25.2. Manage a Running Service](#)
- [25.3. Configure a Service](#)
- ☒ [26. Active Directory](#)
- [26.0. Introduction](#)
- [26.1. Test Active Directory Scripts on a Local Installation](#)
- [26.2. Create an Organizational Unit](#)
- [26.3. Get the Properties of an Organizational Unit](#)
- [26.4. Modify Properties of an Organizational Unit](#)
- [26.5. Delete an Organizational Unit](#)
- [26.6. Get the Children of an Active Directory Container](#)
- [26.7. Create a User Account](#)
- [26.8. Program: Import Users in Bulk to Active Directory](#)
- [26.9. Search for a User Account](#)
- [26.10. Get and List the Properties of a User Account](#)
- [26.11. Modify Properties of a User Account](#)
- [26.12. Change a User Password](#)
- [26.13. Create a Security or Distribution Group](#)
- [26.14. Search for a Security or Distribution Group](#)
- [26.15. Get the Properties of a Group](#)
- [26.16. Find the Owner of a Group](#)

- [26.17. Modify Properties of a Security or Distribution Group](#)
- [26.18. Add a User to a Security or Distribution Group](#)
- [26.19. Remove a User from a Security or Distribution Group](#)
- [26.20. List a User's Group Membership](#)
- [26.21. List the Members of a Group](#)
- [26.22. List the Users in an Organizational Unit](#)
- [26.23. Search for a Computer Account](#)
- [26.24. Get and List the Properties of a Computer Account](#)
- ▣ [27. Enterprise Computer Management](#)
- [27.0. Introduction](#)
- [27.1. Join a Computer to a Domain or Workgroup](#)
- [27.2. Remove a Computer from a Domain](#)
- [27.3. Rename a Computer](#)
- [27.4. Program: List Logon or Logoff Scripts for a User](#)
- [27.5. Program: List Startup or Shutdown Scripts for a Machine](#)
- [27.6. Deploy PowerShell-Based Logon Scripts](#)
- [27.7. Enable or Disable the Windows Firewall](#)
- [27.8. Open or Close Ports in the Windows Firewall](#)
- [27.9. Program: List All Installed Software](#)
- [27.10. Uninstall an Application](#)
- [27.11. Manage Computer Restore Points](#)
- [27.12. Reboot or Shut Down a Computer](#)
- [27.13. Determine Whether a Hotfix Is Installed](#)
- [27.14. Manage Scheduled Tasks on a Computer](#)
- [27.15. Retrieve Printer Information](#)
- [27.16. Retrieve Printer Queue Statistics](#)
- [27.17. Manage Printers and Print Queues](#)
- [27.18. Program: Summarize System Information](#)
- [27.19. Renew a DHCP Lease](#)
- [27.20. Assign a Static IP Address](#)
- [27.21. List All IP Addresses for a Computer](#)
- [27.22. List Network Adapter Properties](#)
- ▣ [28. CIM and Windows Management Instrumentation](#)
- [28.0. Introduction](#)
- [28.1. Access Windows Management Instrumentation and CIM Data](#)
- [28.2. Modify the Properties of a WMI or CIM Instance](#)
- [28.3. Invoke a Method on a WMI Instance or Class](#)
- [28.4. Program: Determine Properties Available to WMI and CIM Filters](#)
- [28.5. Search for the WMI or CIM Class to Accomplish a Task](#)
- [28.6. Use .NET to Perform Advanced WMI Tasks](#)
- [28.7. Convert a VBScript WMI Script to PowerShell](#)
- ▣ [29. Remoting](#)
- [29.0. Introduction](#)
- [29.1. Find Commands That Support Their Own Remoting](#)
- [29.2. Enable PowerShell Remoting on a Computer](#)
- [29.3. Enable SSH as a PowerShell Remoting Transport](#)
- [29.4. Interactively Manage a Remote Computer](#)
- [29.5. Invoke a Command on a Remote Computer](#)
- [29.6. Disconnect and Reconnect PowerShell Sessions](#)
- [29.7. Program: Remotely Enable PowerShell Remoting](#)
- [29.8. Program: Invoke a PowerShell Expression on a Remote Machine](#)
- [29.9. Test Connectivity Between Two Computers](#)
- [29.10. Limit Networking Scripts to Hosts That Respond](#)
- [29.11. Enable Remote Desktop on a Computer](#)
- [29.12. Configure User Permissions for Remoting](#)
- [29.13. Enable Remoting to Workgroup Computers](#)
- [29.14. Implicitly Invoke Commands from a Remote Computer](#)

[29.15. Create Sessions with Full Network Access](#)
[29.16. Pass Variables to Remote Sessions](#)
[29.17. Manage and Edit Files on Remote Machines](#)
[29.18. Configure Advanced Remoting Quotas and Options](#)
[29.19. Invoke a Command on Many Computers](#)
[29.20. Run a Local Script on a Remote Computer](#)
[29.21. Determine Whether a Script Is Running on a Remote Computer](#)
☒ [30. Transactions](#)
[30.0. Introduction](#)
[30.1. Safely Experiment with Transactions](#)
[30.2. Change Error Recovery Behavior in Transactions](#)
☒ [31. Event Handling](#)
[31.0. Introduction](#)
[31.1. Respond to Automatically Generated Events](#)
[31.2. Create and Respond to Custom Events](#)
[31.3. Create a Temporary Event Subscription](#)
[31.4. Forward Events from a Remote Computer](#)
[31.5. Investigate Internal Event Action State](#)
[31.6. Use a Script Block as a .NET Delegate or Event Handler](#)