

Table of contents

Foreword xi

Acknowledgements xiii

1 Standards, Protocols, and Functions 1

1.1 LTE Standards and Standard Roadmap 2

1.2 LTE Radio Access Network Architecture 9

1.3 Network Elements and Functions 10

1.3.1 The eNodeB (eNB) 11

1.3.2 Mobility Management Entity (MME) 12

1.3.3 Serving Gateway (S-GW) 12

1.3.4 Packet Data Network Gateway (PDN-GW) 13

1.3.5 Interfaces and Reference Points 13

1.4 Area and Subscriber Identities 18

1.4.1 Domains and Strati 18

1.4.2 IMSI 19

1.4.3 LMSI, TMSI, P-TMSI, M-TMSI, and S-TMSI 20

1.4.4 GUTI 21

1.4.5 IMEI 22

1.4.6 RNTI 22

1.4.7 Location Area, Routing Area, Service Area, Tracking Area, and Cell Global Identity 24

1.4.8 Mapping between Temporary and Area Identities for EUTRAN and UTRAN/GERAN-Based Systems 25

1.4.9 GSM Base Station Identification 27

1.4.10 UTRA Base Station Identification 28

1.4.11	Numbering, Addressing, and Identification in the Session Initiation Protocol	29
1.4.12	Access Point Name	30
1.5	User Equipment	30
1.5.1	UE Categories	31
1.6	QoS Architecture	32
1.7	LTE Security	34
1.8	Radio Interface Basics	38
1.8.1	Duplex Methods	40
1.8.2	Multiple Access Methods	42
1.8.3	OFDM Principles and Modulation	46
1.8.4	Multiple Access in OFDM–OFDMA	48
1.8.5	Resource Blocks	49
1.8.6	Downlink Slot Structure	53
1.8.7	OFDM Scheduling on LTE DL	56
1.8.8	SC-FDMA Principles and Modulation	60
1.8.9	Scheduling on LTE UL	62
1.8.10	Uplink Slot Structure	64
1.8.11	Link Adaptation in LTE	64
1.8.12	Physical Channels in LTE	70
1.8.13	Transport Channels in LTE	79
1.8.14	Channel Mapping and Multiplexing	80
1.8.15	Initial UE Radio Access	82
1.8.16	UE Random Access	82

1.9 Hybrid ARQ	87
1.9.1 Synchronous HARQ in LTE Uplink	90
1.9.2 Asynchronous HARQ in LTE Downlink	91
1.9.3 HARQ Example	92
1.10 LTE Advanced	94
1.10.1 Increasing Spectral Efficiency	95
1.10.2 Carrier Aggregation	95
1.10.3 Heterogeneous Networks	95
1.10.4 Inter-Cell Interference Coordination	97
1.11 LTE Network Protocol Architecture	98
1.11.1 Uu–Control/User Plane	98
1.11.2 S1–Control/User Plane	99
1.11.3 X2–User/Control Plane	100
1.11.4 S6a–Control Plane	100
1.11.5 S3/S4/S5/S8/S10/S11–Control Plane/User Plane	101
1.12 Protocol Functions, Encoding, Basic Messages, and Information Elements	102
1.12.1 Ethernet	102
1.12.2 Internet Protocol (IPv4/IPv6)	102
1.12.3 Stream Control Transmission Protocol (SCTP)	106
1.12.4 Radio Interface Layer 2 Protocols	108
1.12.5 Medium Access Control (MAC) Protocol	110
1.12.6 Radio Link Control (RLC) Protocol	111
1.12.7 Packet Data Convergence Protocol (PDCP)	115

1.12.8 Radio Resource Control (RRC) Protocol 117

1.12.9 Non-Access Stratum (NAS) Protocol 124

1.12.10 S1 Application Part (S1AP) 124

1.12.11 User Datagram Protocol (UDP) 128

1.12.12 GPRS Tunneling Protocol (GTP) 129

1.12.13 Transmission Control Protocol (TCP) 136

1.12.14 Session Initiation Protocol (SIP) 138

1.12.15 DIAMETER on EPC Interfaces 139

2 E-UTRAN/EPC Signaling 145

2.1 S1 Setup 145

2.1.1 S1 Setup: Message Flow 145

2.1.2 S1 Setup: Failure Analysis 147

2.2 Initial Attach 149

2.2.1 Procedure 150

2.3 UE Context Release Requested by eNodeB 166

2.3.1 Procedure 166

2.4 UE Service Request 168

2.4.1 Procedure 169

2.5 Dedicated Bearer Setup 172

2.6 Inter-eNodeB Handover over X2 174

2.6.1 Procedure 176

2.7 S1 Handover 186

2.7.1 Procedure 188

2.8 Dedicated Bearer Release 199

2.9 Detach 200

2.9.1 Procedure 200

2.10 Failure Cases in E-UTRAN and EPC 203

2.11 Voice over LTE (SIP) Call–Complete Scenario 203

2.12 Inter-RAT Cell Reselection 4G-3G-4G 210

2.13 Normal/Periodical Tracking Area Update 211

2.14 CS Fallback End-to-End S1/IuCS/IuPS 212

2.15 Paging 213

2.16 Multi-E-RAB Call Scenarios 214

2.16.1 Multi-E-RAB Call Scenarios without Subscriber Mobility 214

2.16.2 Multi-E-RAB Call with Intra-LTE Handover 215

2.16.3 Inter-RAT Mobility of a Multi-E-RAB Call Using CS Fallback 216

2.16.4 Abnormal Releases of Calls with VoLTE Services 217

3 Radio Interface Signaling Procedures 219

3.1 RRC Connection Setup, Attach, and Default Bearer Setup 220

3.1.1 Random Access and RRC Connection Setup Procedure 220

3.1.2 RRC Connection Reconfiguration and Default Bearer Setup 229

3.1.3 RRC Connection Release 238

3.2 LTE Mobility 238

3.2.1 Intra-eNB Intra-Frequency HO 242

3.2.2 Intra-eNodeB Inter-Frequency Handover 243

3.2.3 Inter-eNodeB Intra-Frequency Handover 248

3.2.4 Inter-RAT Handover to 3G 253

3.2.5 Inter-RAT Handover to 2G 255

3.2.6 Inter-RAT Blind Redirection to 3G 257

3.2.7 Inter-RAT Blind Redirection to 2G 259

3.2.8 CS Fallback 260

3.3 Failure Cases 262

4 Key Performance Indicators and Measurements for LTE Radio Network Optimization 267

4.1 Monitoring Solutions for LTE Interfaces 267

4.1.1 Monitoring the Air Interface (Uu) 267

4.1.2 Antenna-Based Monitoring 269

4.1.3 Coax-Based Monitoring 270

4.1.4 CPRI-Based Monitoring 270

4.1.5 Monitoring the E-UTRAN Line Interface 272

4.1.6 Monitoring the eNodeB Trace Port 276

4.2 Monitoring the Scheduler Efficiency 279

4.2.1 UL and DL Scheduling Resources 285

4.2.2 X2 Load Indication 286

4.2.3 The eNodeB Layer 2 Measurements 288

4.3 Radio Quality Measurements 290

4.3.1 UE Measurements 293

4.3.2 The eNodeB Physical Layer Measurements 297

4.3.3 Radio Interface Tester Measurements 301

4.3.4 I/Q Constellation Diagrams 302

4.3.5 EVM/Modulation Error Ratio	304
4.4 Control Plane Performance Counters and Delay Measurements	306
4.4.1 Network Accessibility	307
4.4.2 Network Retainability	316
4.4.3 Mobility (Handover)	318
4.5 User Plane KPIs	322
4.5.1 IP Throughput	323
4.5.2 Application Throughput	325
4.5.3 TCP Startup KPIs	327
4.5.4 TCP Round-Trip Time	328
4.5.5 Packet Jitter	329
4.5.6 Packet Delay and Packet Loss on a Hop-to-Hop Basis	330
4.6 KPI Visualization using Geographical Maps (Geolocation)	331
4.6.1 The Minimize Drive Test Feature Set of 3GPP	333
Acronyms	337
Bibliography	343
Index	345